

SaniServ®

MODEL 408



MADE IN USA



240
CONES/HR

GREAT FOR

SMALLER RESTAURANTS & KITCHENS

The SaniServ® model 408 Soft Serve Freezer allows business owners to affordably provide high profit soft serve and frozen yogurt products with the convenience of 115-volt electrical access. The 408 can handle producing product for all day operations and is a favorite among owners in satisfying customer demand for great frozen treats any time, any place!

MODEL 408

TORQUE CONSISTENCY CONTROLS

Job: _____

Item No. _____

 **240**
CONES/HR

DESIGNED FOR LOW-MEDIUM VOLUME APPLICATIONS

Four - 4 oz. Servings per Minute - 20 Quart Capacity

Use SaniServ® Model 408 to Create



Dimensions: Width (17") Depth (25.8")
Height (33") Weight (230 lbs)

Electrical Requirements:

115/60/1 = 30 Amps

Serving Estimate:

Up to 240 Cones / hr

We reserve the right to change specifications and product designs without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.



About the 408



Cooling Options



✓ SPACE SAVING - *Small Footprint Design*

SaniServ® model 408 with its compact design and production versatility saves valuable floor space and turns the countertop into a real profit center by adding and serving high profit ice cream and yogurt products.

✓ EASY CLEANING AND OPERATION - *Fewer Parts = Simplified Cleaning*

SaniServ® equipment is designed and built with the fewest parts to be disassembled, cleaned and sanitized than any other machine in the industry.

✓ HIGH RETURN ON INVESTMENT - *Increased Profits*

SaniServ® machines combine efficiency with consistent product quality and fast, quiet operation while insuring customer satisfaction with high profit ice cream or yogurt products.




✓ QUALITY DESIGN - *Durability*

SaniServ® machines are built to achieve long and dependable life through simplicity of design. Every machine is shipped standard with a stainless steel exterior, durable steel interior frame construction, heavy-duty components and consistency systems.

MODEL 408

TORQUE CONSISTENCY CONTROLS

Minimum Wall Clearance
Both Sides and Back
6 inches (152 mm)



ELECTRICAL				WIDTH	HEIGHT	DEPTH	WEIGHT	VOLUME
VOLTS	Hz	Ph.	Amps	INCHES (MM)	INCHES (MM)	INCHES (MM)	LBS. (Kg)	CU FT. (cu. m.)
115	60	1	30	17 (432)	33.0 (838)	25.8 (630)	230 (105)	
Shipping Specifications				22.5 (572)	41 (1042)	34.5 (876)	285 (130)	18.5 (.53)

SPECIFICATIONS

Cooling System:

Air or Water

Dasher and Compressor

Motors:

1 HP Dasher

3/4 HP Compressor

Refrigerator Type:

R404A

Listings:

UL, cUL, NSF

FEATURES

Evaporator and Mix Reservoir

Capacity:

20 Quarts (18.9 liters)

Dasher:

Heavy-Duty Stainless Steel with low friction scraper blades.

Controls:

Automatic consistency controls for improved consistency.

Tamper Proof Automatic Visual Mix Out System

WARRANTY

Parts	1 year
Compressor	5 years
Evaporator	5 years

Options:

- Tune Up Kit
- Counter Top Mounting Pad
- Machine Stand
- Water Cooled - 3/4" Garden Hose Fitting
- Wash Out Kit - 3/8" Flare Fitting