

The SaniServ® model 724 floor model frozen beverage freezer provides not one but two frozen beverage flavors in a high production floor model machine! The output and versatility of the 724 means owners and operators can offer two frozen best sellers. Because each side of the machine utilizes its own 2 HP refrigeration system, customers are always insured of getting their favorites!

DESIGNED FOR HIGH VOLUME APPLICATIONS

20 Gallons per Hour per side - 20 Quart Capacity per Side

Use SaniServ® Model 724 to Create







About the 724

Cooling Options











Dimensions: Width (26") Depth (28") Height (54.6") Weight (501 lbs)

Electrical Requirements:

208-230/60/1 = 2x25 Amps208-230/60/3 = 2x20 Amps

Serving Estimate:

Up to 320 Frozen Cocktails (160/side) / hr

We reserve the right to change specifications and product designs without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.







✓ HEAVY DUTY - Floor Model Design

SaniServ[®] model 724 provides a high volume of frozen beverages in the traditional floor model design. Operators will enjoy the ease of operation and the ability to utilize the 724's versatility to provide the different types of frozen beverages that customers want!

▼ EASY CLEANING AND OPERATION - Fewer Parts = Simplified Cleaning

SaniServ[®] equipment is designed and built with the fewest parts to be disassembled, cleaned and sanitized than any other machine in the industry. The state of the art solid-state AccuFreeze[®] control insures product consistency, worry-free operation and customer satisfaction.

✓ HIGH RETURN ON INVESTMENT - *Increased Profits*

SaniServ[®] machines combine efficiency with consistent product quality and fast, quiet operation while insuring customer satisfaction with high profit frozen beverages.

✓ QUALITY DESIGN - Durability

SaniServ[®] machines are built to achieve long and dependable life through simplicity of design. Every machine is shipped standard with a stainless steel exterior, durable steel interior frame construction, heavy-duty components and consistency systems.


MODEL 724



Minimum Wall Clearance Both Sides and Back 6 inches (152 mm)

26.0"

660 mm



28.0"

ELECTRICAL				WIDTH	HEIGHT	DEPTH	WEIGHT	VOLUME
VOLTS	Hz	Ph.	Amps	INCHES (MM)	INCHES (MM)	INCHES (MM)	LBS. (Kg)	CU FT. (cu. m.)
208-230	60	1	2x25	26 (660)	54.6 (1387)	28 (711)	501 (228)	
208-230	60	3	2x20					
Shipping Specifications				37 (940)	60 (1524)	41 (1024)	580 (264)	52.7 (1.49)

SPECIFICATIONS

Cooling System:

Air or Water

Dasher and Compressor Motors:

(2) 1/4 HP Dasher

(2) 2 HP Compressor

Refrigerator Type:

R404A

Listings:

UL, cUL, NSF

FEATURES

Evaporator and Mix Reservoir Capacity:

20 Quarts (18.9 liters) per side

Dasher:

Heavy-Duty Stainless Steel with low friction scraper blades.

Controls:

AccuFreeze[®] solid-state control for accurate product consistency.

Solid State Audio/Visual Mix Out System with Compressor Lockout

WARRANTY

Parts 1 year Compressor 5 years Evaporator 5 years

Options:

Drink Spinner
Tune Up Kit
Syrup Rail
Wash Out Kit - 3/8" Flare Fitting
Water Cooled - 3/4" Garden
Hose Fitting
Export Voltages