

The SaniServ® model 798 Countertop Frozen Beverage Freezer can provide two frozen beverage favorites in one machine! With an independent drive system in each side of the machine, product can be easily maintained and/or changed in either side when desired! The 798's mix pan is also refrigerated to ensure quicker recovery time. By offering not one, but two frozen products, owners and operators will ensure every customer stays satisfied and increase their operating profits!

## DESIGNED FOR MEDIUM VOLUME APPLICATIONS

6 Gallons per Hour per side - 14 Quart Capacity per side

#### **Use SaniServ® Model 798 to Create**







#### About the 798



### **Cooling Options**











Dimensions: Width (20") Depth (28") Height (33.5") Weight (234 lbs)

#### **Electrical Requirements:**

115/60/1 = 15 Amps

#### **Serving Estimate:**

Up to 96 Smoothies (48/side) / hr

We reserve the right to change specifications and product designs without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.









# **SPACE SAVING** - Small Footprint Design

SaniServ<sup>®</sup> model 798 provides two frozen beverage flavors in a counter-top model design. Operators will enjoy the ease of operation and the versatility to offer two different types of frozen beverages that customers desire at the same time!

## **EASY CLEANING AND OPERATION** - Fewer Parts = Simplified Cleaning

SaniServ® equipment is designed and built with the fewest parts to be disassembled, cleaned and sanitized than any other machine in the industry. The state of the art solid-state AccuFreeze® control ensures product consistency, worry-free operation and customer satisfaction.

# **HIGH RETURN ON INVESTMENT** - Increased Profits

SaniServ® machines combine efficiency with consistent product quality and fast, quiet operation while insuring customer satisfaction with high profit frozen beverages.


## **QUALITY DESIGN** - Durability


SaniServ<sup>®</sup> machines are built to achieve long and dependable life through simplicity of design. Every machine is shipped standard with a stainless steel exterior, durable steel interior frame construction, heavy-duty components and consistency systems.

# MODEL 798



Minimum Wall Clearance Both Sides and Back 6 inches (152 mm)





ELECTRICAL				WIDTH	HEIGHT	DEPTH	WEIGHT	VOLUME
VOLTS	Hz	Ph.	Amps	INCHES (MM)	INCHES (MM)	INCHES (MM)	LBS. (Kg)	CU FT. (cu. m.)
115	60	1	15	20 (508)	33.5 (851)	28 (711)	234 (106)	
Shipping Specifications				31.5 (800)	40.5 (1029)	40.5 (1029)	335 (152)	29.9 (.84)

## **SPECIFICATIONS**

#### **Cooling System:**

Air or Water

# Dasher and Compressor Motors:

(2) 1/4 HP Dasher

(1) 3/4 HP Compressor

#### **Refrigerator Type:**

R404A

#### **Listings:**

UL, cUL, NSF

## **FEATURES**

# **Evaporator and Mix Reservoir Capacity:**

14 Quarts (13.2 liters)

#### Dasher:

Heavy-Duty Stainless Steel with low friction scraper blades.

#### **Controls:**

AccuFreeze<sup>®</sup> solid-state control for accurate product consistency.

#### Solid State Audio/Visual Mix Out System with Compressor Lockout

## **WARRANTY**

Parts 1 year Compressor 5 years Evaporator 5 years

#### **Options:**

Drink Spinner Tune Up Kit Syrup Rail Auto-fill

Export Voltages

Machine Stand

Water Cooled - 3/4" Garden

Hose Fitting

Remote Condenser\*

<sup>\*</sup>Requires a remote condensing unit (condenser & compressor) connected by two refrigeration lines.